

Two brands with one global mission: protecting people

We started this journey more than a decade ago. A group of hardworking people with a new technology that no one had ever seen. One that had the potential to change the cut and puncture safety market. One that could save the lives and livelihood of workers across the world. So we started with one industry. And one glove.

Since 2016 uvex safety group has officially launched the global partnership with Grand Rapids Michigan based protective product manufacturer, HexArmor. HexArmor are the global leaders in extreme cut, impact, puncture and needlestick resistance hand and body PPE. The significant synergies between the two companies create tangible value added for our customers: together, uvex and HexArmor stand for trust, safety and protecting people.

The collection:



Mechanical cut **3**
3033 Helix® Food Safe
2076 Helix®
2062 Helix®
2065 Helix®
3071 Helix®



Leather / Heat / Cut / Electrical ARC **9**
4060 Chrome SLT®
4061 Chrome SLT®
4062 Chrome SLT®



Mechanical cut Impact **4**
2095 Thin Lizzie™
3010 Helix® Core™
2090X Thin Lizzie™
7102 Rig Lizard® Fluid



Tactical / Law enforcement **10**
3003 Helix®
4045 HexBlue™ Pointguard® Ultra



SuperFabric® cut protection **6**
9013 9000 Series™
4023 Chrome Series® 360°
10-302 NXT®
1010 PentaArmor® 18" arm sleeve



Fire and Rescue **11**
4014 EXT Rescue® Barrier
3007 Helix®
8180 FireArmor® SR-X®



Mechanical cut impact SuperFabric® oil and gas **7**
4026 Chrome Series®
4021X GGT5®
2025 Rig Lizard®
2025X Rig Lizard®
2030X Rig Lizard®



SuperFabric® Needlestick **12**
9032 Pointguard® Ultra
3092 ThornArmor®
3041 Hercules® NSR
AG8TW 8" Needle-resistant arm guard



Liquid resistant impact **13**
7310 Ugly Mudder®

safety gloves mechanical cut



3033 Helix® Food Safe

- 13-gauge HPPE and fiberglass blend shell engineered to specifically prevent glove particles from contacting food
 - Can be used in direct contact with food or as an underglove with appropriate top glove solution
 - Latex-free
 - REACH compliant
 - US FDA 21 CFR 177.1630 Compliant
- Available in sizes 6/XS through 11/XXL

ANSI/ISEA CUT	GRAM SCORE	CE	4+
A6	3825	3X41E	

ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
2	4



2076 Helix®

- 13-gauge HPPE, steel, and fiberglass blend shell
 - Flexible polyurethane palm coating
 - Reinforced thumb saddle
 - Silicone-free
 - REACH compliant
- Available in sizes 4/3XS through 13/4XL



ANSI/ISEA CUT	GRAM SCORE	UK	CE	4+
A6	3276	4X44F		

ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
5	5



2062 Helix®

- Core9™ (13G HPPE, steel, and fiberglass blend) shell for industry leading 360° cut resistance
 - Flexible sandy nitrile palm coating
 - Hi-vis color on back-of-hand
- Available in sizes 5/XXS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	UK	CE	4+
A9	6437	4X44F		

ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
5	5



safety gloves mechanical cut



2065 Helix®

- 13-gauge HPPE and fiberglass shell
 - Flexible sandy nitrile palm coating
 - Full flat nitrile coating offers 360° water resistance
 - REACH compliant
- Available in sizes 5/XXS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A4	1974	4X42D
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
3	6	



HPPE blend shell



3071 Helix®

- 13-gauge HPPE/steel blend shell
 - Full latex coating offers 360° liquid resistance
 - Wrinkle rubber palm coating provides superior grip and abrasion resistance
 - Coated knit wrist helps prevent fluid and debris from entering the glove
- Available in sizes 7/S through 11/XXL



ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A6	3711	CE 4
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
4	5	EN407: 2020
		CE 1
		X1XXXX



HPPE blend shell



safety gloves mechanical cut impact



2095 Thin Lizzie™

- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - 13-gauge HPPE, steel, and fiberglass blend shell
 - Polyurethane palm coating
 - Reinforced thumb saddle
- Available in sizes 5/XXS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A6	3276	4X44FP
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
2	5	4



Impact protection

HPPE blend shell

● core range ● on request ● limited stock

safety gloves
mechanical cut impact



3010 Helix® Core™

- 15-gauge HPPE, steel, fiberglass, and polyester blend shell
 - Flexible PrimeFoam nitrile palm coating
 - Sewn-on back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - Reinforced thumb saddle
 - Enhanced touchscreen capabilities
 - REACH compliant
- Available in sizes 6/XS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	CE	UK
A5	2951	4X43DP	
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
2	4	6	



2090X Thin Lizzie™

- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - 13-gauge HPPE and glass fiber blend shell provides exceptional dexterity and feel
 - Sandy nitrile palm coating
 - Reinforced thumb saddle
 - Protected by U.S. Patent No. D703,389
- Available in sizes 5/XXS through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	UK	CE
A4	2053	4X44EP	
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
2	5	5	



7102 Rig Lizard® Fluid

- Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and level 1 protection on fingers
 - 13-gauge HPPE and fiberglass blend shell
 - Sandy nitrile full coating
 - Full double-dipped coating offers liquid resistance
- Available in sizes 5/XXS through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	UK	CE
A3	1274	4X42CP	
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
1	3	4	



● core range ● on request ● limited stock



safety gloves

SuperFabric® cut protection



9013 9000 Series™

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
 - HPPE and fiberglass blend shell provides exceptional dexterity and feel
 - Sandy nitrile palm coating
- Available in sizes 7/S through 11/XXL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A8	5022	4X43F
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
4	6	



4023 Chrome Series® 360°

- SuperFabric® brand material provides 360° industry-leading cut resistance (interior layer).
 - Durable hi-vis TP-X® palm
 - Elastic cuff with hook and loop closure
- Available in sizes 7/S through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	CE
A8	5374	4X21F
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	ANSI/ISEA CONTACT HEAT
2	6	2



10-302 NXT®

- Coretek® fiber keeps hands cool and comfortable
 - Designed to be worn under standard nitrile, latex, or vinyl glove
 - 3-finger coverage targets primary area for knife strikes
 - Meets European food migration testing (EN 1186:2002 SI 1998 No 1376)
 - Sanitizeable
 - Ambidextrous, sold in eaches
- Limited sizes available

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A7 SuperFabric®	4196 SuperFabric®	4X42A
A1 Coretek®	405 Coretek®	



● core range ● on request ● limited stock

safety gloves
SuperFabric® cut protection



1010 PentaArmor® 18" arm sleeve

- SuperFabric® brand material provides industry-leading cut resistance
 - Elastic thumb loop and sleeve clip keeps sleeve in place
 - Hi-vis color scheme for visibility
 - Ambidextrous, sold in eaches
 - Available as a pair (part # 1010S)
- Available in sizes 7/S through 11/XXL

ANSI/ISEA CUT	GRAM SCORE	CE	UK
A7	4886	4X21F	

ANSI/ISEA PUNCTURE
2



SuperFabric® protection zone

safety gloves

mechanical cut impact with Superfabric® oil and gas

4026 Chrome Series®

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
- Back-of-hand TPR impact guards with advanced, low-profile design provides level 2 protection on knuckles and fingers
- Mud Grip® synthetic leather palm with PVC dots
- Hi-vis color and reflective piping on back-of-hand
- Elastic cuff with pull tab and hook and loop closure



ANSI/ISEA CUT	GRAM SCORE	UK	CE
A8	5486	4X21FP	

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
2	2	6

ANSI/ISEA CONTACT HEAT
2




Impact protection
SuperFabric® protection zone

Available in sizes 6/XS through 12/3XL

4021X GGT5®

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
 - High-performance back-of-hand IR-X® Impact Exoskeleton™ provides level 3 protection on knuckles and level 2 protection on fingers
 - HexArmor Mud Grip® synthetic leather palm with PVC dots works well with light/medium oil-based muds
 - Durable TP-X® palm patches
 - Reinforced thumb saddle
 - SlipFit® cuff with pull tab and nametag
- Available in sizes 7/S through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	UK	CE
A8	5234	4X44FP	

ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
2	5	6

ANSI/ISEA CONTACT HEAT
2

● core range ● on request ● limited stock

safety gloves


mechanical cut impact with SuperFabric® Oil and Gas



2025 Rig Lizard®

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
 - Back-of-hand sewn-on IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - Additional IR-X® guard between thumb and index finger
 - Durable TP-X+® palm with reinforced stitching provides superior wet/dry grip and abrasion resistance
 - Reinforced index finger and thumb saddle
 - Breathable SlipFit® cuff with pull tab and nametag
 - Protected by U.S. Patent No. D703,389
- Available in sizes 6/XS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	EN 388
A6	3702	CE 4544



2025X Rig Lizard®

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
 - Back-of-hand sewn-on IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - Additional IR-X® guard between thumb and index finger
 - Durable TP-X+® palm with reinforced stitching
 - Reinforced thumb saddle
 - Elastic cuff with pull tab and nametag
 - Protected by U.S. Patent No. D703,389
- Available in sizes 6/XS through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A6	3702	UK CA CE 4X44FP
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	EN407: 2020
2	5	CE X2XXXX
ANSI/ISEA ABRASION	ANSI/ISEA CONTACT HEAT	
6	3	



2030X Rig Lizard®

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
 - Back-of-hand sewn-on IR-X® Impact Exoskeleton™ with high-flex design provides level 2 protection on knuckles and fingers
 - Additional IR-X® guard between thumb and index finger
 - Durable synthetic leather palm with heatresistant silicone pattern
 - Reinforced thumb saddle
 - SlipFit® cuff with hook and loop closure, pull tab, and nametag
 - Protected by U.S. Patent No. D703,389
- Available in sizes 6/XS through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A6	3527	CE 4X32FP
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	EN407: 2004
2	3	CE X2XXXX
ANSI/ISEA ABRASION	ANSI/ISEA CONTACT HEAT	
6	3	



● core range ● on request ● limited stock

safety gloves

leather / heat / cut / electrical ARC


4060 Chrome SLT®

- Arc Flash Level 2 Rating: Lab tested in accordance with HRC ATPV at 23.6 Cal/cm²
- Back-of-hand TPR impact guards with advanced, low-profile design provides level 2 protection on knuckles and fingers
- Goatskin leather palm provides a traditional style of comfort and grip
- Full aramid liner for 360° cut protection
- SlipFit® cuff

Available in sizes 6/XS through 14/5XL



ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A5	2509	CE
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	2X23EP
2	4	EN407: 2004
ANSI/ISEA ABRASION	ANSI/ISEA CONTACT HEAT	CE
4	2	X2XXX1



4061 Chrome SLT®

- Arc Flash Level 4 Rating: Lab tested in accordance with HRC ATPV at 46 Cal/cm²
- Goatskin leather palm provides a traditional style of comfort and grip
- Full aramid liner for 360° cut protection
- SlipFit® cuff

Available in sizes 6/XS through 15/6XL

ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A5	2509	CE
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	2X23E
4	4	EN407: 2004
ANSI/ISEA CONTACT HEAT		CE
2		422141



4062 Chrome SLT®

- Arc Flash Level 4 Rating: Lab tested in accordance with HRC ATPV at 46 Cal/cm²
- Goatskin leather palm provides a traditional style of comfort and grip
- Stitched with Aramid thread
- Full aramid liner for 360° cut protection
- Extended safety cuff for easy on and off

Available in sizes 6/XS through 13/4XL



ANSI/ISEA CUT	GRAM SCORE	EN388: 2016
A5	2509	CE
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	2X23E
4	4	EN407: 2004
ANSI/ISEA CONTACT HEAT		CE
2		422141



● core range ● on request ● limited stock

safety gloves tactical / law enforcement



3003 Helix® Series

- Excellent sensitivity in cut protection level D
 - Back-of-hand IR-X® Impact Exoskeleton™ with high-flex design
 - Seamless construction allows enhanced comfort while maintaining dexterity and tactility
 - Black 13-gauge HPPE and steel blend shell
 - Black flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Available in sizes 6/XS through 12/3XL

ANSI/ISEA PUNCTURE	EN388	EN407
3	CE 4X42DP	CE X1XXXX

Impact Protection
HPPE Blend Shell

4045 HexBlue™ PointGuard® Ultra

- SuperFabric® brand material provides industry-leading needlestick resistance (in noted enhanced areas)
 - Back-of-hand knuckle padding for incidental bumps/impact
 - Silicone palm pattern for enhanced grip
 - Neoprene cuff with hook and loop closure
- Available in sizes 6/XS through 12/3XL



ANSI/ISEA CUT	GRAM SCORE	UK	CE
A7	4321	4X22F	
ANSI/ISEA PUNCTURE	NEEDLESTICK	NEWTONS	
3	LEVEL 2	5.284	
ANSI/ISEA ABRASION	SuperFabric®	SuperFabric®	
6	LEVEL 3	6.9	
	2 Layers SuperFabric®	2 Layers SuperFabric®	

2 layers SuperFabric® protection
SuperFabric® protection zone

● core range ● on request ● limited stock



4014 EXT Rescue® Barrier

- SuperFabric® brand material palm provides industry-leading cut resistance (interior layer)
- Waterproof H2X® barrier meets ASTM F1670/ F1671 for bloodborne pathogen resistance and fluid-borne viral resistance (interior liner)
- Back-of-hand TPR impact guards with advanced, low-profile design provides level 1 protection on knuckles and fingers
- Durable TP-X® palm with reinforced stitching
- Reinforced thumb saddle
- Neoprene cuff with pull tab and hook and loop closure

Available in sizes 7/S through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A8	5068	4X42FP
ANSI/ISEA 138	ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION
1	3	6
ANSI/ISEA CONTACT HEAT		
2		



3007 Helix® Series


- Back-of-hand IR-X® Impact Exoskeleton™ keeps hands safe from forceful smash and impact hazards
- Black 13-gauge HPPE and steel blend shell
- Liquid proof and flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Reinforced thumb crotch area
- Elastic cuff with Velcro® closure for a comfortable fit

Available in sizes 6/XS through 12/3XL



EN388 CE EN407 CE
4X43DP X1XXXX

Meets the following performance levels of EN407: 5.2 Contact Heat Level 1



8180 FireArmor® SR-X®

- H2X+™ FR moisture barrier (interior layer) is certified to NFPA 1971:2018
- 100% Nomex® knit inner liner for 360° heat resistance TPP>60
- Water-resistant and flame-resistant cow suede
- Extended gauntlet cuff for added protection against debris
- Kevlar® liner on back-of-hand provides added heat and cut resistance
- 100% Kevlar® thread throughout glove for added strength and FR resistance
- Reinforced thumb saddle and palm patch
- Washable

Available in sizes XS/64N – 4XL/82XW

Nomex® and H2X+™ liners – 360° thermal protection and full FR moisture barrier



TPP>60

• Thermal Protection Performance is greater than 60



safety gloves SuperFabric® Needlestick



9032 PointGuard® Ultra

- SuperFabric® brand material provides industry-leading needlestick resistance (in noted enhanced areas)
 - Single-glove needle solution with incredible dexterity and comfort
 - Sandy nitrile three-quarter knuckle coating
- Available in sizes 7/S through 11/XXL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE EN
A9	7167	4X43F
ANSI/ISEA PUNCTURE	NEEDLESTICK	NEWTONS
4	LEVEL 5	11.143
ANSI/ISEA ABRASION		
6		



3092 ThornArmor®

- Three layers of SuperFabric® brand material in the palm and partial index finger wrap (interior layer)
 - Breathable HexVent® panel on the back-of-hand helps keep you cool
 - TP-X® palm material
 - Airprene cuff with hook and loop closure
 - Reinforced fingertips
- Available in sizes 5/XXS through 11/XXL



ANSI/ISEA CUT	GRAM SCORE	UK CA CE EN
A9	7668	4X33F
ANSI/ISEA PUNCTURE	NEEDLESTICK	NEWTONS
4	LEVEL 5	11.94
ANSI/ISEA ABRASION		
6		

3 layers SuperFabric® protection



3041 Hercules® NSR

- SuperFabric® brand material provides industry-leading needlestick resistance (in noted enhanced areas)
 - Full coverage design and pre-curved shape for maximum comfort and protection
 - Silicone dot palm grip
- Available in sizes 7/S through 10/XL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE EN
A9	8668	4X12F
ANSI/ISEA PUNCTURE	NEEDLESTICK	NEWTONS
3	LEVEL 5	11.59
ANSI/ISEA ABRASION		
6		



● core range ● on request ● limited stock

safety gloves
SuperFabric® Needlestick



AG8TW 8" Needle-resistant arm guard

- SuperFabric® brand material provides industry-leading needlestick resistance
 - Won't fall down like knit sleeves
 - Spandex wrist insert with thumb hole and snap fasteners
- Available in sizes 7/S through 12/3XL

ANSI/ISEA CUT	GRAM SCORE	UK CA CE
A8	5254	4X11F
ANSI/ISEA PUNCTURE	NEEDLESTICK	NEWTONS
2	LEVEL 2	5.5125
ANSI/ISEA CONTACT HEAT		
2		



safety gloves
liquid resistant impact

7310 Ugly Mudder®

- PVC-Nitrile coating provides a liquid-resistant barrier while providing enhanced grip
 - Full back-of-hand encapsulated impact guards
 - Textured palm for exceptional grip and durability
 - Safety cuff for easy on and off
- Available in sizes 8/M through 11/XXL



ANSI/ISEA CUT	GRAM SCORE	CE
A1	419	3142XP
ANSI/ISEA PUNCTURE	ANSI/ISEA ABRASION	
3	5	



HexArmor® + uvex

Durban

Tel: 031 569 6780

e-mail: info@uvex.co.za

Pretoria:

Tel: 012 345 6656

e-mail: safety@uvex.co.za